

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1081	select\$4 with character with string and character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:29
L2	371	select\$4 with character with string and character with recognition and combin\$5 with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:34
L3	279	select\$4 with character with string and character with recognition and combin\$5 near4 character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:35
L4	382	select\$4 with character with string and character with recognition and (combin\$5 or join\$4 or connect\$4 or merg\$4) near4 character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:41
L5	82	select\$4 with character with string same recognition same (combin\$5 or join\$4 or connect\$4 or merg\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:53
L6	14	select\$4 with character with string same recognition same (combining or joining or connecting or merging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:58
L7	169	select\$4 with character same recognition same (combining or joining or connecting or merging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:59

EAST Search History

L8	17	select\$4 with character same recognition same (combining or joining or connecting or merging) with display\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:01
L9	49	select\$4 with character same recognition same (combin\$5) with display\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:04
L10	394	captur\$4 with image same display\$4 same character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:06
L11	8	captur\$4 with image same display\$4 same character with recognition same repeat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:17
L12	224	captur\$4 with image with character with string	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:27
L13	91	382/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:27
L14	1	382/200.ccls. and viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:31
L15	1	("6922487").PN.	USPAT; EPO	OR	OFF	2007/12/11 10:31

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S46	0	predetermined near4 optimal near4 size	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:38
S47	120	predetermined near4 optimal near4 size	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:38
S48	1	predetermined near4 optimal near4 size and character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:39
S49	0	predetermined near4 best near4 size and character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:39
S50	1	predetermined near4 optimal near4 (size or area or region or zone) and character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:39
S51	14	predetermined with optimal with (size or area or region or zone) and character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:45
S52	4213	predetermined with (size or area or region or zone) and character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:45

EAST Search History

S53	326	predetermined with (size or area or region or zone) and character with recognition and shutter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:46
S54	262	predetermined near5 (size or area or region or zone) and character with recognition and shutter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:46
S55	44	predetermined near5 (size) and character with recognition and shutter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:49
S56	4	predetermined near5 (size) with character and character with recognition and shutter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:50
S57	1	(optimal or recommend\$4 or ideal or best) near5 (size) with character and character with recognition and shutter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:51
S58	87	(size) near5 character and character with recognition and shutter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:51
S59	11	(size) near5 character and character with recognition and viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:54

EAST Search History

S60	5	(size) near5 character and character with recognition and viewfinder and rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:54
S61	0	(size) near5 character and character with recognition and viewfinder and rate with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:54
S62	443	(size) near5 character and character with recognition and rate with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:54
S63	81	(size) near5 character and character with recognition and rate with recognition and camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:55
S64	8	(size) near5 character with predetermined and character with recognition and rate with recognition and camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:00
S65	15	(size or area or length or width) near5 character with predetermined and character with recognition and rate with recognition and camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:13
S66	75	(size or area or length or width) near5 character with predetermined and character with recognition and rate with recognition and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:14

EAST Search History

S67	0	(size or area or length or width) near5 character with predetermined and character with recognition and rate with recognition and display with viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:14
S68	0	(size or area or length or width) near5 character with predetermined and character with recognition and rate with recognition and viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:14
S69	75	(size or area or length or width) near5 character with predetermined and character with recognition and rate with recognition and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:14
S70	2	(size or area or length or width) near5 character with predetermined and character with recognition and rate with recognition and display with camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:15
S71	2	(size or area or length or width) near5 character with predetermined and character with recognition and rate with recognition and (display or screen or lcd) with camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:15
S72	2	(size or area or length or width) near5 character with (predetermined or threshold\$4 or limit or range) and character with recognition and rate with recognition and (display or screen or lcd) with camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:16
S73	35	(size or area or length or width) near5 character with (predetermined or threshold\$4 or limit or range) and character with recognition and rate with recognition and camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:28

EAST Search History

S74	15	(size or area or length or width) near5 character with (predetermined or threshold\$4 or limit or range) and character with recognition and rate with recognition and camera and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:21
S75	15	(size or area or length or width) near5 character with (predetermined or threshold\$4 or limit or range) and character with recognition and rate with recognition and camera and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:28
S76	2	(size or area or length or width) near5 character with (predetermined or threshold\$4 or limit or range) and character with recognition with (reference near2 frame) and rate with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:29
S77	5	character with recognition with (reference near2 frame) and rate with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:33
S78	7	character with recognition with (reference near2 (frame or area or window or box)) and rate with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:35
S79	333	character with recognition with (reference) and rate with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:36
S80	41	character with recognition with (reference) and rate with recognition and camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:25

EAST Search History

S81	96	character with recognition with (reference or frame or window or area) and rate with recognition and camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:26
S82	11	character with recognition with (reference or frame or window or area) with display and rate with recognition and camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:30
S83	0	character with recognition with (reference or frame or window or area) with viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:31
S84	0	character with recognition with (reference or frame or window or area) same viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:31
S85	110	character with recognition with (reference or frame or window or area) and viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:35
S86	2	character with recognition with viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:36
S87	10	character with recognition same viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:39

EAST Search History

S88	254	character with recognition and viewfinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:39
S89	19	character with recognition and viewfinder with (area or region or size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 10:39
S90	222	predetermined with success with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 13:36
S91	5	predetermined with success with rate and character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 13:36
S92	0	computer with browser with e-mail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 15:12
S93	8	computer with browser and e-mail with character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 15:13
S94	3	computer and browser with character with recognition and e-mail with character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 15:15

EAST Search History

S95	13	computer and internet with character with recognition and e-mail with character with recognition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 15:19
S96	4	computer and internet with character with recognition and e-mail with character with recognition and camera	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:28


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((character <near> recognition)<in>metadata))<and>((rate)<in>metadata)))..."

Your search matched 38 of 1058 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



Modify Search

((((character <near> recognition)<in>metadata))<and>((rate)<in>metadata)))<and>

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Search Options

[View Session History](#)
[New Search](#)

IEEE/IET

Books

Educational Courses

A

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Neural based handwritten character recognition**
 Hanmandlu, M.; Murali Mohan, K.R.; Kumar, H.;
Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fi
on
 20-22 Sept. 1999 Page(s):241 - 244
 Digital Object Identifier 10.1109/ICDAR.1999.791769
[AbstractPlus](#) | Full Text: [PDF\(28 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **IOCR: an intelligent optical character reader**
 Leung, K.S.; Lee, K.H.;
TENCON '89. Fourth IEEE Region 10 International Conference
 22-24 Nov. 1989 Page(s):70 - 73
 Digital Object Identifier 10.1109/TENCON.1989.176897
[AbstractPlus](#) | Full Text: [PDF\(300 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Experiments with "Characteristic Loci" for Recognition of Handprinted C**
 Knoll, A.L.;
Computers, IEEE Transactions on
 Volume C-18, Issue 4, April 1969 Page(s):366 - 372
[AbstractPlus](#) | Full Text: [PDF\(1408 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Classification trees with neural network feature extraction**
 Guo, H.; Gelfand, S.B.;
Neural Networks, IEEE Transactions on
 Volume 3, Issue 6, Nov. 1992 Page(s):923 - 933
 Digital Object Identifier 10.1109/72.165594
[AbstractPlus](#) | Full Text: [PDF\(916 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Large vocabulary recognition of on-line handwritten cursive words**
 Seni, G.; Srihari, R.K.; Nasrabadi, N.;